

FIRST AID MANAGEMENT

Cardiac arrest is when the heart suddenly stops beating due to an electrical malfunction.

If angina symptoms are severe, get worse or last for more than 10 minutes,

CALL 000


Heart attack is different from, but may lead to, cardiac arrest.

Angina is a temporary chest pain or discomfort that happens when the heart doesn't get enough blood and oxygen

HEART ATTACK

A person experiences a heart attack when there is a sudden partial or complete blockage of one of the coronary arteries that supply the heart muscle. As a result of the interruption to the blood supply, there is an immediate risk of lifethreatening changes to the heart rhythm

## WARNING EKENS



## FREMED FLEATER TRACE MANAGEMENT

- Encourage them to stop what they are doing and rest
- If they have prescribed medication for chest pain or discomfort associated with angina, help them to take as directed
- If symptoms are severe, get worse quickly or last longer than 10 minutes, call 000
- Stay with the person until the medical professionals arrive
- If practical and possible, send for the closest AED
- If the person is unresponsive and not breathing normally, commence CPR

ARC Guideline 9.2.1 - Recognition and First Aid Management of Suspected Heart Attack What is angina? >> Heart Foundation What is a heart attack? >> Heart Foundation



Making learning first aid fun.

info@engagefirstaid.com.au | engagefirstaid.com.au